



Jinan Kaiming Bearing Co., Ltd.

NTN 22324UAVS2 thrust roller bearings



Bearing No. 22324UAVS2

22324UAVS2 Bearing 2D drawings and 3D CAD models

Size	120x260x86 mm
Bore Diameter	120,000 mm
Outer Diameter	260,000 mm
Width	86,000 mm
d	120,000 mm
D	260,000 mm
H	86,000 mm
Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	21.97
EAN	4547359272529
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Withdrawal Nut	Not Applicable
Inch - Metric	Metric
Long Description	120MM Straight Bore; 260MM Outside Diameter;



Jinan Kaiming Bearing Co., Ltd.

	86MM Width; C0-Medium Clearance; Shaft Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	48.399
Bore	4.724 Inch 120 Millimeter
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
Outside Diameter	10.236 Inch 260 Millimeter
Width	3.386 Inch 86 Millimeter
bore diameter:	120 mm
operating temperature range:	-40 to 120 ° C
outside diameter:	260 mm
cage material:	Brass
overall width:	86 mm
bearing material:	Through Hardened Steel
bore type:	Straight
cage type:	Machined
outer ring type:	Not Split
precision rating:	Not Rated
internal clearance:	Upper 2/3 of C4 range
finish/coating:	Uncoated
closure type:	Open
outer ring width:	86 mm
lubrication hole type:	Lubrication Groove & Hole



Jinan Kaiming Bearing Co., Ltd.

inner ring width:	86 mm
dynamic load capacity:	820000 N
fillet radius:	3 mm
static load capacity:	800000 N
series:	223
maximum rpm:	1600 rpm
manufacturer product page:	Click here