



Jinan Kaiming Bearing Co., Ltd.



698LLU Bearing 2D drawings and 3D CAD models

8,000 mm x 19,000 mm x 6,000 mm NTN
698LLU deep groove ball bearings

Bearing No. 698LLU

Size	8x19x6 mm
Bore Diameter	8,000 mm
Outer Diameter	19,000 mm
Width	6,000 mm
d	8,000 mm
D	19,000 mm
B	6,000 mm
C	6,000 mm
Category	Single Row Ball Bearings
Inventory	52.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.007
EAN	4547359588262
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric



Jinan Kaiming Bearing Co., Ltd.

Long Description	8MM Bore; 19MM Outside Diameter; 6MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	698LLU
Weight / LBS	0.016
Bore	0.315 Inch 8 Millimeter
Outer Race Width	0.236 Inch 6 Millimeter
Outside Diameter	0.748 Inch 19 Millimeter
bore diameter:	8 mm
precision rating:	ISO Class 0
outside diameter:	19 mm
finish/coating:	Uncoated
overall width:	6 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	6 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	6 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	33000 rpm
internal clearance:	CN



Jinan Kaiming Bearing Co., Ltd.

fillet radius:	0.3 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	39000 RPM
dynamic load capacity:	1990 N
series:	69
static load capacity:	865 N
manufacturer product page:	Click here